

SWISSPRO[®] 
HOT & COLD WATER PURIFIER

CLIMA MESA / PISO



PISO




MESA

Specifications

Country of Origin – Dispenser	South Korea
Country of Origin – Filtration	Switzerland
Dimension	340 (W) x 375 (D) x 530 (H) - MESA 340 (W) x 375 (D) x 1200 (H) - PISO
Weight	18.5KG (MESA) 26.5KG (PISO)
Tank Capacity	<u>MESA</u> <u>PISO</u> 1.6 L (Hot) 5 L (Hot) 2.7 L (Cold) 7.2 L (Cold)
Cold Water Temperature	4 °C ~ 12 °C
Hot Water Temperature	70 °C ~ 90 °C
Safety Device	THERMOSTAT (For Cold Water Temp. Control) THERMISTOR (For Hot Water Temp. Control)
Rated Voltage	220 - 240V / 50Hz
Heater Power Consumption	450W
Compressor Power Consumption	100W
Compressor Gas	R-134a

Filter System



Life span of Filters


- The life span might be varies depending on water quality and usage.


Filter	Prefilter	Carbon Filter	Ceramic Filter
Lifespan	9 – 12 months/ 10'000L	9 – 12 months/ 10'000L	3 – 5 years/ 50'000L

3 Steps Swisspro Filter Process

3 Step Swisspro Filter Process

Filter Elements



	<p><u>CleanSwissP</u> It works effectively against suspended solids that are more than 5 micron, such as rust and/or sand particles, without any use of chemicals.</p> <p>Service Life: Approx. 10'000L or up 12 months</p>
	<p><u>CarboSwiss</u> Is a high performance activated carbon filter</p> <ul style="list-style-type: none"> • absorbs free chlorine • remove other organic contaminants • remove bad taste and odors • remove lead and other heavy metals <p>Service Life: Approx. 10'000L or up to 12 months</p>
	<p><u>CeraSwiss</u> A 0.2 micron ceramic microfilter</p> <ul style="list-style-type: none"> • trap all harmful bacterias • retains suspended solids without using chemicals • <u>can be cleaned</u> and reused • Permanently incorporated Katadyn silver is working against bacteria recontamination from the outlet tap. <p>Service Life: Approx. 50,000L or up to 5 years</p>